

PRODUCT CATALOGUE



INTREPID

WWW.INTREPIDINDUSTRIES.COM

Universal Double Bar Safety Gates

For Ladderways & Elevated Work Spaces

U.S. Patent No. 8,365,358 & 8,413,380



- Gravity Closing
- For Fall Protection
- Exceeds OSHA Specifications

| UDG Quantity | 22 560mm | 27 690mm | 32 820mm | 37 950mm |
|------------------------|--------------------|--------------------|--------------------|--------------------|
| 1-24 | \$178 | \$183 | \$193 | \$198 |
| 25-139 | \$172 | \$177 | \$187 | \$192 |
| 140+ | \$166 | \$171 | \$181 | \$186 |

| NO DRILL KIT Quantity | Square Pipe | Angle/ Tube | Angle/ Flat Iron | Magnet Kit |
|---------------------------------|------------------------|------------------------|-----------------------------|-----------------------|
| 1-24 | \$105 | \$105 | \$125 | \$26 |
| 25-139 | \$100 | \$100 | \$120 | \$24 |
| 140+ | \$95 | \$95 | \$115 | \$22 |

Pipe Kit

- For use on 1^{1/2}" to 2" pipes
- Stainless
- No drilling required

Square Tube Kit

- For use on square tube up to 2^{1/2}"
- Stainless
- No drilling required

Angle/Flat Iron Kit

- For use on angle or flat iron
- Stainless
- No drilling required

Magnet Kit

- Holds gate in a closed position
- Rubberized to protect your vertical post



- One-hand operation
- All plastic design
- Great load ratings

CableSafe® & Xtreme Safety Hooks

For Good Housekeeping & Reducing Trip Hazards

| CS Quantity of Boxes | 6" 55lbs 25kg | 9" 77lbs 35kg | 12" 220lbs 100kg | 15" 340lbs 155kg | X9" 77lbs 35kg | X12" 220lbs 100kg |
|-----------------------------------|----------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|--------------------------------|
| 1-2 | \$289 | \$350 | \$420 | \$514 | \$430 | \$510 |
| 3-6 | \$278 | \$337 | \$405 | \$495 | \$417 | \$495 |
| 7-12 | \$270 | \$327 | \$392 | \$481 | \$407 | \$482 |
| 13+ | \$264 | \$319 | \$382 | \$468 | \$399 | \$472 |
| Singles | \$13 | \$15 | \$18 | \$21 | \$19 | \$22 |

Packaged & sold in boxes of 25.

CUSTOM PRODUCTS

Intrepid Industries manufactures their products using a solid polyurethane material called Instant Set Polymer. ISP exhibits outstanding weatherability (UV resistance), fatigue resistance, is endowed with a tensile strength of 8000 psi, and, a compressive strength of 9000 psi. In addition, it is extremely easy to machine – it can be drilled, tapped, sawed, and shaped. This unique combination of material properties makes ISP an excellent choice for harsh environments where metal, wood, and ceramics get destroyed and must be replaced on a regular basis. Molded parts in ISP will result in cost savings by combining multiple cavities with our automated production process.

Pedestrian Safety Gates

For Warehouses & Protected Walkways



- Gravity Closing
- Easily Adjustable
- NOT For Fall Protection

Installation Kit

- For when a flat surface is not available
- Great for use on bollards

| PG Quantity | S Single Bar | D Double Bar |
|----------------|-----------------|-----------------|
| 1-24 | \$95 | \$120 |
| 25-139 | \$92 | \$118 |
| 140+ | \$89 | \$116 |

| PG Kit Quantity | Install | Light |
|--------------------|---------|-------|
| 1-24 | \$25 | \$155 |
| 25-139 | \$23 | \$150 |
| 140+ | \$21 | \$145 |

Light Awareness Kit

- Light is illuminated when gate is opened
- Alert forklift operator of someone in area



- 4" Height
- Top Side Installation
- No Welding Required

Toeboard Links

For Enclosing Pipe Penetrations

| T5 Quantity | J Each | L Each |
|----------------|-----------|-----------|
| 10-80 | \$17 | \$17 |
| 90-790 | \$16 | \$16 |
| 800+ | \$15 | \$15 |

*Packaged & sold in boxes of 10 and 40.
Minimum order is 10. All purchases must be in
units of 10 (e.g. 70, 190, 530, etc.)*

AUTOMATING

Since 2000, Intrepid has utilized automated systems to generate products. We specialize in the design and integration of automated manufacturing systems. Although our focus is in material handling and tooling, installation of various robotic arms for multiple applications are available.

Automation Consulting

- Process Improvement
- Custom Machine Design

Robotic Integration

- Collaborative & Industrial Robots
- End of Arm Tooling

UNIVERSAL SAFETY GATES SIZES & KITS

Gates are available in four standard sizes: UDG-22, UDG-27, UDG-32 and UDG-37. For angle iron guardrail, measure the opening between the guardrails. The gate size should be equal to or greater than the opening. This will ensure that when the gate is closed, it will contact the vertical post of the opposite guardrail. Thus, if the opening is 25", a UDG-27 gate would be needed.

For pipe guardrail, we offer an easy-to-install Pipe Kit that works for both 1 1/2" and 2" pipes. We also offer an easy-to-install Square Tube Kit for square tubing (up to 2 1/2"). For installation on angle or flat iron the easy-to-install, Angle/Flat Iron Kit is a nice, no drilling required, option. Otherwise, you can weld or attach flat plates to the guardrail as shown in several pictures throughout our literature and on our web site.

For high wind areas we offer a Magnet Kit. This kit contains a rare earth magnet that will hold the gate closed against the vertical post.

TOEBOARD LINK HARDWARE OPTIONS

The Toeboard Link is available in one of two hardware options: T5-J and T5-L. The T5-J includes J-Bolt hardware, and the T5-L includes L-Bolt hardware. All hardware is galvanized.

The T5-J can be installed on all types of grating, except I-Beam or T-Bar style grating.

The T5-L can be installed on all types of grating, except square opening style grating.

PEDESTRIAN SAFETY GATES SIZE & KITS

Gates are offered as single bar (PG-S) and double bar (PG-D). Both will fit most openings, as they easily adjust from 30" to 48".

The hardware included with each gate is for mounting to a surface. For other flat surfaces, we offer an easy-to-install kit.

Light Kits are available if you want to broadcast that the gate has been opened.

For terms and conditions visit:
www.intrepidindustries.com/terms/



PLASTICS



TOEBOARDS



HOOKS



GATES



We would like to hear from you! feedback@intrepidindustries.com

sales@intrepidindustries.com
Toll Free: 866.479.8301
Local: 281.479.8301

2305 S Battleground Road
La Porte, Texas 77571

